PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re application of Docket No: Q86875

Go NAGAYA

Appln. No.: 10/530,180 Group Art Unit: 3618

Confirmation No.: 5597 Examiner: Frank Bennett VANAMAN

Filed: April 4, 2005

For: IN-WHEEL MOTOR SYSTEM FOR A STEERING WHEEL

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 41.37, Appellant submits the following:

Table of Contents

T.	REAL PARTY IN INTEREST	2
	RELATED APPEALS AND INTERFERENCES	
	STATUS OF CLAIMS	
	STATUS OF AMENDMENTS	
	SUMMARY OF THE CLAIMED SUBJECT MATTER	
	GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	
	ARGUMENT	
	IMS APPENDIX	
	DENCE APPENDIX:	
	ATED PROCEEDINGS APPENDIX	

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

U.S. Appln No: 10/530,180

Attorney Docket No: Q86875

I. REAL PARTY IN INTEREST

Based on the information supplied by Appellants, and to the Appellants' legal representatives' knowledge, the real party in interest is the assignee, Kabushiki Kaisha Bridgestone.

U.S. Appln No: 10/530,180

II. RELATED APPEALS AND INTERFERENCES

Appellants, as well as Appellants' assigns and legal representatives, are unaware of any appeals or interferences which will be directly affected by, or which directly affect will have a bearing on, the Board's decision in the pending case.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

U.S. Appln No: 10/530,180

III. STATUS OF CLAIMS

Attorney Docket No: Q86875

Claims 1-6 are all the claims pending in the present application. Claims 1-6 have been finally rejected, and are the subject of this appeal. The pending claims are set forth in the Appendix.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln No: 10/530,180

IV. **STATUS OF AMENDMENTS**

Attorney Docket No: Q86875

No amendments have been submitted subsequent to the Office Action dated December 30, 2009.

V. SUMMARY OF THE CLAIMED SUBJECT MATTER

An exemplary embodiment of the present invention relates to an in-wheel motor system for mounting a direct drive motor to a wheel. The in-wheel motor system includes: a first knuckle which is connected to an upper suspension arm, a lower suspension arm and a non-rotary side of the direct drive motor, and is locked in a steering direction (see, e.g., page 6, lines 4-18); and a second knuckle which is connected to a steering rod and to the first knuckle in such a manner that the second knuckle turns on a king pin axis in the steering direction and is fitted with a brake unit and the wheel (see, e.g., page 6, lines 4-18, Fig. 1, element 7). See, e.g., claim 1.

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

- 1. Claim 1 stands rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over Baker et al. (U.S. Patent No. 3,472,331) in view of Iizuka et al. (U.S. Patent No. 5,224,563).
- 2. Claims 2-6 stand rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over Baker in view of Iizuka, and further in view of Nelson (U.S. Patent No. 3,468,389).
- 3. Claim 1 stands rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over Baker in view of Iizuka, and further in view of Tenney (U.S. Patent No. 1,780,370)¹.
- 4. Claims 2-6 also stand rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over Baker in view of Iizuka, in view of Tenney, and further in view of Nelson.

Applicants' representatives contacted the Examiner to confirm that he made a mistake in the Office Action dated December 30, 2009. The Examiner acknowledged that he mistakenly identified the Tenney reference on page 3 of the Office Action as US 1,780,870 instead of the correct number, US 1,780,370. Accordingly, on February 12, 2010, Applicants' representatives submitted a Request for Issuance of New Office Action on February 12, 2010. Inexplicably, Applicants never received a new Office Action or explanation from Examiner. Nevertheless, based on Applicant's understanding that the correct patent number for Tenney is 1,780,370, Applicants elect to proceed on appeal even though no new Office Action was issued.

7 Attorney Docket No: Q86875

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln No: 10/530,180

VII. ARGUMENT

A. Neither Baker nor Iizuka, alone or in combination, renders claim 1 unpatentable under 35 U.S.C. § 103(a). For example, the applied references do not disclose or suggest at least, "a first knuckle which is connected to an upper suspension arm, a lower suspension arm and a non-rotary side of the direct drive motor, and is locked in a steering direction," and "a second knuckle which is connected to a steering rod and to the first knuckle in such a manner that the second knuckle turns on a king pin axis in the steering direction and is fitted with a brake unit and the wheel," as recited in claim 1.

Brief descriptions of the applied references, Baker and Iizuka, are as follows.

Baker is directed to an invention that is intended for use in the environment of a front steering drive axle assembly having a driver axle rotatably supported in an axle housing and a driven axle rotatably supported in a wheel hub in outgoing and spaced relation to said driver axle and in axial alignment therewith. A Cardan-type universal joint (26) connects the axles together while improved pivot means is provided for mounting the drive axle for horizontal movement with respect to the drive axle. The pivot means comprises a yoke arm arrangement (22,24) which ensures substantially equal loading to both the upper and lower yoke and bracket arms (80,82) and a resilient deformable dampening (152) and bearing (108,144) means disposed between the king pin bearings and the yoke arms to suppress vibration and provide anti-shimmy characteristics to the steering drive axle assembly. See Abstract of Baker.

Iizuka is directed to an energy regenerating mechanism of an automobile, particularly to that adapted for an electric car. The energy regenerating mechanism is characterized in that a plurality of generators are provided so that the kinetic energy generated when the engine idles and the automobile continues running is converted into electric energy. See Abstract of Iizuka.

Attorney Docket No: Q86875

With respect to independent claim 1, Appellant submits that the applied references, alone or in combination, do not disclose or suggest at least: 1) "a first knuckle which is connected to an upper suspension arm, a lower suspension art and non-rotary side of the direct drive motor, and is locked in a steering direction," and 2) "a second knuckle which is connected to a steering rod and to the first knuckle in such a manner that it can turn on a king pin axis in the steering direction and is fitted with a brake unit and the wheel," (emphasis added) as recited in claim 1.

With respect to the first limitation quoted above, in the Office Action dated July 18, 2007, the Examiner states that Baker discloses the first knuckle (22) and second knuckle (19, 21, 82 and 85). Also, the Examiner acknowledged that Baker fails to teach a drive source as comprising a motor, however the Examiner applied lizuka to allegedly satisfy this particular deficiency. Though there was not a limitation that "a first knuckle is connected to the upper and lower suspension arm" in the original claim 1, Appellant has filed the amendment adding the limitation that "a first knuckle is connected to a suspension member" and then the limitation that "a first knuckle is connected to an upper and lower suspension art" to the claim 1. In response to this allegation, Appellant submits that even if, arguendo, Iizuka discloses a motor for a wheel, there is no teaching or suggestion in either of the applied references of how such a motor would be incorporated into the wheel shown in the illustration of Baker. As shown in Figs. 5 and 6 of Iizuka, the motor 21 is not the wheel (23). That is, Iizuka does not disclose the in-wheel motor. The Examiner appears to have picked and chosen different components of two different references and alleged that they are combinable without further support or explanation. The illustration of Baker shows wheel related components within the wheel (i.e., the in-wheel motor)

that do not leave room for the inclusion of a motor, and nowhere do either of the references

disclose how a motor from Iizuka would be incorporated into the wheel related components of

Therefore, absent any teaching or suggestion with respect to such a combination, Baker.

Appellant submits that the above-quoted features of claim 1 are clearly not satisfied by the

applied references, alone or in combination.

Though the examiner regards the numeral reference (22) as the first knuckle, it denotes

the upper yoke arm constituting the suspension yoke (14) and it is not a part corresponding with

the first knuckle according to claim 1. Also, the reference numeral (19) and (21) denote the

kingpin bearing assemblies, (82) denotes the bracelet arm and (85) denotes the flange. On the

other hand, because the knuckle according to Baker is the spindle knuckle (81), Appellant

believes it a mistake that the Examiner considers that Baker discloses the first knuckle (22) and

the second knuckle (19, 21, 82 and 85).

With respect to the second feature quoted above, even though this feature is not satisfied

by the applied references, in the Office Action dated July 18, 2007, the Examiner simply alleged

that Baker teaches an arrangement for a steerable wheel and that it is very well known in the art

to connect a steering rod to a pivoting wheel support to allow the wheel to be steered. In

response, Appellant maintains the argument set forth in the Amendment dated October 18, 2007,

that even if, arguendo, the above statement of the Examiner is true, the Examiner has not

identified a steel rod in either of the applied references and explained how any such steel rod

would be connected to a second knuckle, as recited in claim 1. Baker discloses only one knuckle

10

U.S. Appln No: 10/530,180

(a spindle knuckle) and does not disclose and suggest the first knuckle according to the present

invention. Therefore, Appellant submits that Baker does not disclose the second knuckle.

Further, Appellant submits that the present invention has the feature that a knuckle is

divided into a first knuckle and second knuckle and a in-wheel motor is mounted on the first

knuckle to which the steering rod is not connected so that the motor cannot be involved in the

steering direction in turning. Thus, the in-wheel motor system according to the present invention

produce advantageous effects that increasing of moment of inertia on steering axis can be

reduced greatly and steering torque can be reduced surely.

Without being motivated to "reduce a moment of inertia on a steering shaft", it is hardly

possible to connect a non-rotary side of a motor to the first knuckle to which the steering rod is

not connected. Also, Baker and Iizuka do not provide a motivation toward reducing of moments

of inertia regarding the steering shaft.

In response, in the Office Action dated January 11, 2008, the Examiner alleges, in part:

Applicant's comments, filed with the Amendment, have been carefully considered. ... One cannot show nonobviousness by

attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208

USPO 871 (CCPA 1981); In re Merck & Co., 800 F.2d 1091, 231

USPQ 375 (Fed. Cir. 1986).

In response, Appellant submits that the previous arguments were not intended to attack

references individually even though the rejections are based on combinations of references.

Appellant was simply responding to the assertions of the Examiner about what the individual

references allegedly disclose and how Appellant believes there is no teaching or suggestion in

11

U.S. Appln No: 10/530,180

either of the applied references, alone or in combination, that each and every feature of the claimed invention, as recited in claim 1, is satisfied.

Further, in the January 11, 2008 Office Action, the Examiner alleges:

As regards the reference to Baker and the provision of a steering rod, the examiner agrees that Baker does not explicitly illustrate this element. Applicant is reminded, as was noted previously, the Baker's structure is explicitly steerable, and the use of a steering rod connected to a turnable knuckle portion is exceptionally old and notoriously well known (note, for example such teachings as presented in Iizuka et al. and Yamashita et al., both cited previously), as such, it is deemed obvious to provide an old and very commonly known arrangement to implement the steerability which is already conceptually anticipated by Baker.

In response, Appellant submits that even if, *arguendo*, it is old and well known in the art that a steering rod could be connected to a turnable knuckle portion, there is no teaching or suggestion of how a steering rod, which is not shown in the applied references, would be connected with the particular arrangement of the present claimed invention. Here, claim 1, for example, recites two separate knuckles, a first knuckle and a second knuckle, and their respective accompanying features. Therefore, a general statement of it being old and well known in the art for a steering rod to be connected to a knuckle does not necessarily satisfy the claimed features and arrangements set forth in claim 1.

Further, Appellant submits that Iizuka does not disclose an in-wheel motor system, since the motor 21 (the non-rotating side of the motor) according to Iizuka is connected to the vehicle body and not connected to the non-rotating part (knuckle) in a vehicle wheel.

Also, the Examiner asserts that it is well known to provide "a motor associated with a non-steered portion" (page 4, line 3 in the Office Action). The Examiner appears to be asserting

that Iizuka is configured to disconnect the non-rotating part of the motor from the steered linkage. However, Appellant submits that it is only natural that the vehicle body and the steered linkage are disconnected from each other. There is no ground for the assertion of the Examiner that the non-rotating part and the steered linkage are disconnected from each other in Baker and

Iizuka.

Further, since Baker and Iizuka do not disclose or suggest how the in-wheel motor is installed, Appellant submits that one of ordinary skill in the art would not have arrived at the feature of the present invention that a non-rotating side of the motor is connected to the first knuckle, by combining Baker and Iizuka.

Yet further, Appellant submits that the applied references, including Baker, do not disclose or suggest a first knuckle which is connected to an upper suspension art and lower suspension arm. Appellant respectfully traverses the Examiner's allegation in the Office Action dated September 19, 2008, that Baker teaches that "a first knuckle (top of 22) is connected to a suspension member (14)", since it is clear from claim 1, col. 2, lines 42 to 44 and col. 3, lines 15 to 19 of Baker that reference numeral 14 denotes a suspension yoke including an upper yoke arm (22) and lower yoke arm (24). According to Baker, spindle knuckle (80) is connected to the upper yoke arm (22) and lower yoke arm (24). The Examiner alleges that this spindle knuckle (80) corresponds to the second knuckle. However, as indicated above, Baker does not teach or suggest a first knuckle which is connected to an upper and lower suspension arm, as recited in amended claim 1. That is, Baker does not disclose or suggest a knuckle that is divided into two parts.

13

Further, Appellant submits that there is no description about "a knuckle" in Iizuka.

In the Office Action dated September 19, 2009, the Examiner has regarded the first knuckle of Baker as "the top of 22". That is, the Examiner's previous characterization of the invention has changed. Also, the Examiner insisted that "the top of 22" corresponds with the first knuckle of the present invention, since it is connected to the suspension yoke (14).

Further, the Examiner changed his characterization of the present invention with respect to the spindle knuckle (81) being the second knuckle.

However, since "the top of 22" is an upper yoke arm, which is a part constituting the suspension yoke (14), "the top of 22" does not correspond to the first knuckle.

Appellant emphasizes that the top of 22 does not correspond to the first knuckle.

The reference "122" denotes the "upper king pin".

The Examiner's position is not consistent and the Examiner has simply concluded that Baker allegedly discloses the first knuckle and second knuckle without support for this position.

Subtle Change of Rationale

In the Office Action dated March 5, 2009, the Examiner subtly changes the arguments presented in previous Office Actions. For example, the Examiner alleges in the March 5 Office Action that kingpin 22 of Baker allegedly corresponds to the claimed first knuckle. In response, Appellant submits that one of ordinary skill in the art would clearly recognize that a kingpin does not correlate to a knuckle, and further submits that it appears that the Examiner has not been consistent in his rationale because the applied art, alone or in combination, does not disclose or suggest the claim limitations.

U.S. Appln No: 10/530,180

Further, in the March 5 Office Action, the Examiner maintains, in part:

Applicant's comments, filed with the amendment, have been carefully considered. Applicant has asserted that Baker et al. fail to teach a first knuckle connected to upper and lower suspension arms. The examiner does not agree: Baker's element 122 may reasonably be interpreted as a knuckle, element 22 may be interpreted as an upper suspension arm and element 24 may be reasonably interpreted as a lower suspension arm, the elements being "connected" to the breadth applicant has recited the connection. The modified interpretation of Baker et al. is applied herein in direct response to applicant's amendment. Applicant has further argued that Baker et al. does not disclose or suggest "a knuckle that is divided into two parts". It is not clear how this limitation relates to the claim recitation, and in that there appears to be no basis in the claims for a limitation of the knuckle being "divided into two parts", the examiner understands that applicant is attempting to convince the examiner to read unrecited limitations into the claims, which is not proper for prosecution. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

In response, Appellant submits that some of the arguments set forth in the previous responses were submitted in an effort to explain the differences between the claimed invention and the applied references to the Examiner. For example, the statement that a knuckle is divided into two parts is simply meant to convey that claim 1, for example, recites that there is a first knuckle and a second knuckle. And, Appellants were simply attempting to show that the Examiner has not demonstrated that the particular structural components of the claimed invention are satisfied by the applied references, alone or in combination.

Therefore, at least based on the foregoing arguments, Appellant submits that one of ordinary skill in the art would not have arrived at the claimed invention by combining Baker and Iizuka. In other words, neither Baker nor Iizuka, alone or in combination, discloses or suggests

at least, "a first knuckle which is connected to an upper suspension arm, a lower suspension arm, and a non-rotary side of the direct drive motor, and is locked in a steering direction," and "a second knuckle which is connected to a steering rod and to the first knuckle in such a manner that the second knuckle turns on a king pin axis in the steering direction and is fitted with a brake unit and the wheel," as discussed above.

Accordingly, withdrawal of the rejection of claim 1 under 35 U.S.C. § 103 is respectfully requested.

B. Neither Baker, Iizuka, nor Nelson, alone or in combination, renders claims 2-6 unpatentable under 35 U.S.C. § 103(a).

Appellant submits that dependent claims 2-6 are patentable at least by virtue of their indirect or direct dependencies from independent claim 1. Nelson does not make up for the deficiencies of Baker and Iizuka.

Further, with respect to dependent claim 5, in the Amendment dated October 18, 2007, Appellant submitted that the applied references, either alone or in combination, do not disclose or suggest at least, "wherein the output shaft of the motor and a wheel support hub mounted to the second knuckle are interconnected by constant velocity joints," as recited in claim 5. That it, Appellant submitted that, in the Office Action dated July 18, 2007, the Examiner did not discuss this claim in any detail and did not identify where an output shaft of a motor and a wheel support hub would be mounted to a second knuckle, nor did the Examiner discuss the output shaft of the motor and the wheel support hub being interconnected by constant velocity joints. Moreover, the Examiner did not identify constant velocity joints in any of the applied references.

U.S. Appln No: 10/530,180

Yet further, with respect to claim 6, in the October 18 Amendment, Appellant submitted that the Examiner did not even address the feature, "wherein the rotary portion of the motor and the wheel are interconnected by a flexible coupling having at least two direct-moving guides connected to each other in such a manner that their moving directions cross each other in the axial direction of the motor and a constant velocity joint-like coupling which has the center of its movement on a king pin axis and turns in the steering direction," as recited in claim 6, under the prior art rejection section of the Office Action.

In response, in the Office Action dated January 11, 2008, the Examiner alleges:

As regards the provision of CV joints, these elements are found in both the references to Baker (20-26, 26-28, particularly in the illustrated orientation) and Iizuka et al. (proximate 26, again in the illustrated orientation). As regards the very broad recitation of connection absent any further limitation in claim 6, note that in the combined references, in an interpretation of similar breadth to the recitation itself, the rotary portion of the motor is connected to the motor case, which is mounted to the vehicle through the buffer and direct moving guides, which include a flexible coupling (e.g., the buffer portions), the connection to the wheel being made through the wheel bearing, knuckle elements and non-turning knuckle supports connected to the vehicle; the arrangement further having a "CV joint-like coupling" (e.g., Baker at 20-26, 26-28).

To satisfy the features of claims 5 and 6, the Examiner simply cites couplings 20-26 and 26-28 of Baker and universal joint 26 of Iizuka. Couplings 20-26 and 26-28 are simply couplings between a driven axle 28 and a joint yoke 20. Further, in Iizuka, there is no motor even illustrated therein. Therefore, with respect to claim 5, for example, clearly the applied references do not satisfy the features of this claim, as claim 5 recites that an output shaft of a motor and a wheel support hub mounted to a second knuckle are interconnected by constant velocity joints. This particular arrangement is nowhere shown in Baker or Iizuka. Similarly

Attorney Docket No: Q86875

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

U.S. Appln No: 10/530,180

with respect to claim 6, the specific arrangement and features set forth in this claim are not satisfied by the alleged corresponding elements cited by the Examiner in the Office Action.

Therefore, at least based on the foregoing, Appellant maintains that claims 2-6 are patentably distinguishable over the applied references, alone or in combination.

C. Neither Baker, Iizuka, nor Tenney, alone or in combination, renders claim 1 unpatentable under 35 U.S.C. § 103(a).

Claim 1 is rejected over Baker, Iizuka, and Tenney based on reasons set forth on pages 3-5 of the most recent Office Action dated December 30, 2009. The Examiner also adds supplemental arguments on pages 6-9 of the December 30 Office Action.

With respect to independent claim 1, the Examiner acknowledges that Baker and Iizuka fail to disclose a rod connected to a portion of a knuckle which pivots in a steering direction.

The Examiner applies Tenney to allegedly overcome this particular deficiency of Baker and Iizuka.

The Examiner has attempted to demonstrate that the features of the claimed invention, as recited in claim 1, for example, are satisfied because the Examiner has found a reference that includes a rod that is connected to a knuckle. Appellant previously argued, during prosecution of the present case and in the Appeal Brief dated October 5, 2009, that the combination of Baker and Iizuka fail to disclose or suggest at least, "a first knuckle which is connected to an upper suspension arm, a lower suspension arm and a non-rotary side of the direct drive motor, and is locked in a steering direction," and "a second knuckle which is connected to a steering rod and to the first knuckle in such a manner that the second knuckle turns on a king pin axis in the steering

U.S. Appln No: 10/530,180

direction and is fitted with a brake unit and the wheel," as recited in claim 1. Even if, arguendo, Tenney may show a knuckle that is connected to a steering rod, the combination of Tenney with the other applied references would not disclose or suggest the claimed invention. The claimed invention very specifically recites how the claimed elements are arranged. The Examiner has simply alleged that the claimed invention is satisfied because one reference allegedly shows one feature, another reference allegedly shows another feature, and a third reference allegedly shows yet another feature; however none of the references, alone or in combination, disclose or suggest the very specific arrangement of the claim elements as set forth in the claimed invention. That is, more specifically, the references, alone or in combination, do not disclose or suggest the specific claimed arrangement of the first knuckle in relation to an upper suspension arm, the lower suspension arm, and the non-rotary side of the direct drive motor; further, the applied references, including Tenney, do not disclose or suggest the specific claimed relationship of the second knuckle in relation to the steering rod, a kingpin access, and how all of the specifically claimed elements are arranged together.

In the paragraph bridging pages 8 and 9 of the December 30, 2009 Office Action, the Examiner alleges:

As regards the relationship between a motor mounted so as not to turn with the pivoting of the wheel, and the knuckle portion which is also taught not to turn with the pivoting of the wheel, please note that the relationship of two elements which are connected to the vehicle and are taught to not turn with the pivoting of the wheel would be fixed with respect to each other and connected, to the breadth this limitation is actually claimed, through any intervening elements. As regards the reference to baker et al., the Examiner notes that the knuckle elements may be divided into numerous portions, each of which either being pivotable with the wheel, or

U.S. Appln No: 10/530,180

not pivotable with the wheel. Note that portions 122, 124, 132, 134 do not pivot, and are connected with a non-pivoting upper arm (24) which is connected to the remainder of the vehicle and thus to any other element mounted thereon such as a drive source. Elements 19, 21, 82, 85 are pivotally connected to the non-pivoting portions, and thus reasonably constitute another part which can pivot for steering.

In response, Appellant notes that the Examiner alleges that knuckle elements <u>may</u> be divided. However, the Examiner impermissibly relies on a <u>possible</u> division of a knuckle to allegedly correspond to the claimed invention. The applied art must actually disclose or suggest the particular features set forth in the claimed invention. The only reason the Examiner indicates that knuckle elements *may* be divided into numerous portions is because the Examiner impermissibly relies on hindsight reasoning after viewing the present invention.

Appellant submits that Tenney simply discloses that the radius rod (70) is connected to the steering arm (40) and the steering arm (40) is connected to the knuckle.

The Examiner appears to believe that the reference numerals 26, 28 and 30 denote the knuckle assemblies. However, Appellant submits that, though reference numeral (30) denotes the knuckle, numeral reference (26 and 28) denote the connection members which connect the knuckle (30) and the semi-elliptic spring (12 and 14).

That is, Tenney does not disclose and suggest the knuckle divided into two parts.

With respect to Baker, Appellant has previously argued that Baker does not disclose and suggest the knuckle divided to two parts in previously filed arguments. However, the Examiner insists that Baker discloses the knuckle can be resolved to many parts. However, the Examiner

U.S. Appln No: 10/530,180

has not plausibly rebutted the previously submitted arguments that "Baker does not disclose the

first knuckle (22) and the second knuckle (19, 21, 82 and 85)".

At least based on the foregoing, withdrawal of the rejection of claim 1 under 35

U.S.C. § 103 is respectfully requested.

D. Neither Baker, Iizuka, Tenney nor Nelson, alone or in combination, renders

claims 2-6 unpatentable under 35 U.S.C. § 103(a).

Appellants submit dependent claims 2-6 are patentable at least by virtue of their indirect

or direct dependencies from independent claim 1. Nelson does not make up for the deficiencies

of the other applied references.

Further, with respect to claims 5 and 6, Appellants maintain the arguments previously

submitted in the October 5, 2009, Appeal Brief.

Conclusion

In summary, at least based on the foregoing, Appellant submits that the Examiner has not

demonstrated that each and every feature of the claimed invention, as set forth in claims 1-6, is

taught and/or suggested by the applied references, alone or in combination. Therefore, Appellant

submits that claims 1-6 are patentably distinguishable over the applied art.

21

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

U.S. Appln No: 10/530,180

Attorney Docket No: Q86875

The USPTO is directed and authorized to charge the statutory fee (37 C.F.R. §41.37(a) and 1.17(c)) and all required fees, except for the Issue Fee and the Publication Fee, to Deposit

Account No. 19-4880. Please also credit any overpayments to said Deposit Account.

Respectfully submitted,

Diallo T. Crenshaw

Registration No. 52,778

SUGHRUE MION, PLLC

Telephone: (202) 293-7060 Facsimile: (202) 293-7860

 $\begin{array}{c} \text{Washington office} \\ 23373 \\ \text{customer number} \end{array}$

Date: April 27, 2010

U.S. Appln No: 10/530,180

CLAIMS APPENDIX

CLAIMS 1-6 ON APPEAL:

1. (rejected): An in-wheel motor system for mounting a direct drive motor to a

wheel, comprising

a first knuckle which is connected to an upper suspension arm, a lower suspension arm

and a non-rotary side of the direct drive motor, and is locked in a steering direction; and

a second knuckle which is connected to a steering rod and to the first knuckle in such a

manner that the second knuckle turns on a king pin axis in the steering direction and is fitted with

a brake unit and the wheel.

2. (rejected): The in-wheel motor system for a wheel according to claim 1, wherein

the non-rotary side of the motor is connected to the first knuckle by elastic bodies and dampers,

or elastic bodies having a spring or damper function.

3. (rejected): The in-wheel motor system for a wheel according to claim 2, wherein

the non-rotary side of the motor is supported by direct-moving guides and a buffer member in the

vertical direction of a vehicle.

4. (rejected): The in-wheel motor system for a wheel according to claim 3, wherein

the non-rotary side of the motor is supported by direct-moving guides and a buffer member in the

horizontal direction of a vehicle in addition to the vertical direction.

23

U.S. Appln No: 10/530,180

5. (rejected): The in-wheel motor system for a wheel according to any one of claims 2 to 4, wherein the output shaft of the motor and a wheel support hub mounted to the second knuckle are interconnected by constant velocity joints.

6. (rejected): The in-wheel motor system for a wheel according to any one of claims 2 to 4, wherein the rotary portion of the motor and the wheel are interconnected by a flexible coupling having at least two direct-moving guides connected to each other in such a manner that their moving directions cross each other in the axial direction of the motor and a constant velocity joint coupling which has the center of its movement on a king pin axis and turns in the steering direction.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln No: 10/530,180

Attorney Docket No: Q86875

EVIDENCE APPENDIX:

NONE.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln No: 10/530,180

Attorney Docket No: Q86875

RELATED PROCEEDINGS APPENDIX

NONE.

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re application of

Docket No: Q86875

Go NAGAYA

Appln. No.: 10/530,180

Group Art Unit: 3618

Confirmation No.: 5597

Examiner: Frank Bennett VANAMAN

Filed: April 4, 2005

For: IN-WHEEL MOTOR SYSTEM FOR A STEERING WHEEL

SUBMISSION OF APPEAL BRIEF

MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Submitted herewith please find an Appeal Brief. Appellant previously submitted the Appeal Brief fee on October 5, 2009, and there is no new fee payment required. If any fees are deemed necessary, the USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.

Respectfully submitted,

Diallo T. Crenshaw

Registration No. 52,778

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373

CUSTOMER NUMBER

Date: April 27, 2010